



Utilisateur: Planktovie  
Analyse ID: 56939

Aquarium ID: 25963

Date: 23.10.2019

Lecture	Valeur	valeur normale
Carbonate:	11.03 °dKH	7.5 °dKH
salinité:	32.43 PSU	35 PSU

Base elements	Valeur	Valeur idéale	Différence	Statut
Salinity (NaCl)	32.43 PSU	35.00 PSU	-2.57 PSU	✓

Carbonate hardness	11.03 °dKH	7.50 °dKH	+3.53 °dKH	✗
--------------------	------------	-----------	------------	---

Major elements	Valeur	Valeur idéale	Différence	Statut
Chloride	18769 mg/l	18345 mg/l	+424.1 mg/l	✓
Sodium	9956 mg/l	10192 mg/l	-235.60 mg/l	✓
Magnesium	1266 mg/l	1218 mg/l	+47.64 mg/l	✓
Sulfur	589.7 mg/l	852.4 mg/l	-262.69 mg/l	✗
Calcium	436.6 mg/l	390.1 mg/l	+46.54 mg/l	✗
Potassium	405.6 mg/l	378.0 mg/l	+27.58 mg/l	✓
Bromine	51.11 mg/l	62.08 mg/l	-10.97 mg/l	✓
Strontium	8.30 mg/l	7.41 mg/l	+0.89 mg/l	✓
Boron	0.45 mg/l	4.08 mg/l	-3.63 mg/l	↓
Fluorid	0.19 mg/l	1.20 mg/l	-1.01 mg/l	↓

Minor elements	Valeur	Valeur idéale	Différence	Statut
Lithium	67.52 µg/l	157.5 µg/l	-89.99 µg/l	✗
Silicon	501.9 µg/l	92.65 µg/l	+409.2 µg/l	✗
Iodine	10.36 µg/l	60.22 µg/l	-49.86 µg/l	↓
Barium	27.90 µg/l	9.27 µg/l	+18.63 µg/l	✓



Utilisateur: Planktovie  
Analyse ID: 56939

Aquarium ID: 25963

Date: 23.10.2019

Molybdenum	n.u	11.12 µg/l		↓
Nickel	2.22 µg/l	0.46 µg/l	+1.76 µg/l	✓
Manganese	32.39 µg/l	0.93 µg/l	+31.46 µg/l	↑
Arsenic	n.u	1.39 µg/l		✓
Beryllium	n.u	0.09 µg/l		✓
Chrome	n.u	0.46 µg/l		✓
Cobalt	n.u	0.09 µg/l		✓
Iron	0.87 µg/l	0.46 µg/l	+0.41 µg/l	✓
Copper	n.u	0.46 µg/l		✓
Selenium	n.u	0.46 µg/l		✓
Silver	n.u	0.09 µg/l		✓
Vanadium	n.u	1.39 µg/l		✘
Zinc	16.39 µg/l	1.85 µg/l	+14.54 µg/l	✘
Tin	n.u	0.46 µg/l		✓
Nutrients	Valeur	Valeur idéale	Différence	Statut
Nitrate	0.01 mg/l	2.00 mg/l	-1.99 mg/l	✘
Phosphorus	2.40 µg/l	13.90 µg/l	-11.50 µg/l	↓
Phosphate	0.01 mg/l	0.04 mg/l	-0.03 mg/l	↓
Pollutants	Valeur	Valeur idéale	Différence	Statut
Aluminium	4.18 µg/l	0.09 µg/l	+4.09 µg/l	✓
Antimony	n.u	0.09 µg/l		✓
Bismuth	n.u	0.09 µg/l		✓



Utilisateur: Planktovie  
Analyse ID: 56939

Aquarium ID: 25963

Date: 23.10.2019

Lead	n.u	0.09 µg/l	✓
Cadmium	n.u	0.19 µg/l	✓
Lanthanum	n.u	n.u µg/l	✓
Thallium	n.u	0.09 µg/l	✓
Titanium	n.u	0.09 µg/l	✓
Tungsten	n.u	n.u µg/l	✓
Mercury	n.u	n.u µg/l	✓



Utilisateur: Planktovie  
Analyse ID: 56939

Aquarium ID: 25963

Date: 23.10.2019

**Recommandation:**

Supplément	Priorité	Action	Dose quotidienne	Unité	Journées
Bor	Important	Dosage	47,10	ml	4
Fluor	Recommended	Dosage	26,40	ml	5
Lithium	Recommended	Dosage	4,70	ml	5
Molybdän	Recommended	Dosage	4,80	ml	3
Vanadium	Recommended	Dosage	0,90	ml	2
Iod	Important	Dosage	0,40	ml	3

Action: We recommend a KH of 7 - 9 °dKH

Action: changer 3 x 20% d'eau (cycle hebdomadaire)

**ATI RECOMMANDE**

**Phosphorus might be limited, remove GFO (if in use), add phosphorus! Adjust iodine dosage.**